

EAST - [10674146.wsp:1]

File View Edit Tools Window Help

Active

- L1: (3124475) PORT PIN
- L2: (89928) 1 NEAR9 POWER
- L3: (1016) RING NEAR9 2
- L4: (14) CARRIER WITH 3
- L5: (8089) SWITCH\$5 NEAR9 2
- L6: (258) DISCONNECT\$3 WITH 5
- L7: (15807) 1 NEAR3 MODE
- L8: (734) 2 NEAR9 7
- L9: (65) SWITCH\$5 NEAR9 8
- L12: (4162) COMMUNICATION NEAR9 2
- L13: (441271) VOLT\$2
- L14: (28) 12 WITH 13
- L15: (2037) 2 WITH 13
- L16: (51) MODE WITH 15
- L17: (12361) POWER WITH 1 WITH INPUT WITH O
- L18: (2189) BETWEEN WITH 17
- L19: (5309) (713/3\$3).CCLS.
- L20: (9666461) 19 "20"
- L21: (9275) (710/3\$3).CCLS.
- L22: (14329) 19 21
- L23: (30) 18 AND 22**

Failed

- ring near9 carrier near3

Saved

- S1: (460) interactive\$3 near9 markup
- S2: (14) buffer\$3 near9 S1
- S3: (1) ("20050278729").PN.
- S4: (1) buffer and S3
- S5: (0) ("9935756").PN.
- S6: (1) ("20020078144").PN.
- S7: (45368) port near9 power
- S8: (22448) mode near9 port
- S9: (881) S7 near9 S8
- S10: (182) switch\$5 with S9
- S11: (0) ring near9 carrier near9 S9
- S12: (699) S9 not S10
- S13: (31321) port near5 power
- S14: (401) ring with S13
- S15: (1409) detect\$4 with S13
- S16: (1165) configur\$5 with S13
- S17: (73) S15 with S16
- S18: (583) S10 S14
- S19: (66) S17 not S18
- S20: (5292) (713/3\$3).CCLS.
- S21: (550) S13 and S20
- S22: (2278) non-power no-power
- S23: (513) mode near9 S12
- S24: (513) port with S23
- S26: (2) port with S25
- S25: (183) mode near9 S22
- S27: (1279) configur\$5 near9 port near9 power
- S28: (0) S22 with S27
- S29: (146) (("5027125") or ("4544924") or ("61157
- S30: (1) ("5664123").PN.
- S31: (1) power and S30
- S32: (97) S29 and power
- S33: (56) S7 and S29

Search List Browse Queue Clear

DBs US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: IBM_TDI

Default operator: OR

☒ Plurals

☐ Highlight all hit terms initially

18 AND 22

BRS form IS&R form Image Text HTML

Hits Details HTML

Ready

CAP NUM

EAST - [10674146.wsp:1]

File View Edit Tools Window Help

Drafts

- IS&R:
- BRS:

Pending

Active

- L1: (45368) port near9 power
- L2: (22448) mode near9 port
- L3: (881) 1 near9 2
- L4: (182) switch\$5 with 3
- L5: (0) ring near9 carrier near9 3
- L6: (699) 3 not 4
- L7: (31321) port near5 power
- L8: (401) ring with 7
- L9: (1409) detect\$4 with 7
- L10: (1165) configur\$5 with 7
- L11: (73) 9 with 10
- L12: (583) 4 8
- L13: (66) 11 not 12
- L14: (5292) (713/3\$3).CCLS.
- L15: (550) 7 and 14
- L16: (2278) non-power no-power
- L17: (513) mode near9 6
- L18: (513) port with 17
- L20: (2) port with 19
- L19: (183) mode near9 16
- L21: (1279) configur\$5 near9 port near9 power
- L22: (0) 16 with 21
- L23: (146) ("5027125") or ("4544924") or ("61157
- L24: (1) ("5664123").PN.
- L25: (1) power and 24
- L26: (97) 23 and power
- L27: (56) 1 and 23

Failed

- ring near9 carrier near3

Saved

Favorites

Tagged (17)

UDC

Search List Browse Queue Clear

DBs US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: IBM_TDI

Default operator: OR

Plurals


Highlight all hit terms initially

	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Cla	
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20050278729	20051215	85	Presentation of media content	719/328	709/217;	Lamkin, A
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040230846	20041118	18	System and method for the ma	713/300		Mancey
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6697892 B1	20040224	31	Port expansion system	710/72	710/314;	Lality; lan
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030191886	20031009	17	Port sampling circuit apparatus i	711/100		Teshima,
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5630170 A	19970513	35	System and method for determi	710/12	366/129;	Koizumi;
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20050144495	20050630	21	Bus power device and power-so	713/340		Nakajima
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6567921 B1	20030520	7	Asynchronous low power mode	713/322	713/601	Guziak; J
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6272644 B1	20010807	12	Method for entering powersave	713/320	713/600	Urade; M
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 7043646 B2	20060509	13	Electronic device with plural int	713/300	713/330;	Enami; K
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6590597 B1	20030708	12	Screen locking feature of a co	715/866	345/211;	Kim; Jin-H
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6229538 B1	20010508	29	Port-centric graphic representat	715/734	709/220;	McIntyre
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5924124 A	19990713	7	Software programmable bus dis	711/163	711/150;	Roy; San
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5664123 A	19970902	7	Digital communication I/O port	710/62	710/38;	Lee; You
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6170062 B1	20010102	23	Fault detection on dual supply s	713/340	714/14;	Henrie; J
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5675814 A	19971007	10	Apparatus and method for man	713/324	710/15;	Pearce;
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6657534 B1	20031202	7	Remote power control	340/3.1	713/300;	Beer; Re
17	<input type="checkbox"/>	<input type="checkbox"/>	US 20040148627	20040729	30	Data storage medium having in	725/37		Chung, S

Hits Details HTML

Ready

NUM



- Drafts
 - IS&R:
 - BRS:
 - IS&R: ("(5027125)" or ("4544924") or ("6115764") or ("5342520"
- Pending
- Active
 - L1: (45368) port near9 power
 - L2: (22448) mode near9 port
 - L3: (881) 1 near9 2
 - L4: (182) switch\$5 with 3
 - L5: (0) ring near9 carrier near9 3
 - L6: (699) 3 not 4
 - L7: (31321) port near5 power
 - L8: (401) ring with 7
 - L9: (1409) defect\$4 with 7
 - L10: (1165) configur\$5 with 7
 - L11: (73) 9 with 10
 - L12: (583) 4 8
 - L13: (66) 11 not 12
 - L14: (5292) (713/3\$3).CCLS.
 - L15: (550) 7 and 14
 - L16: (2278) non-power no-power.
 - L17: (513) mode near9 6
 - L18: (513) port with 17
 - L20: (2) port with 19
 - L19: (183) mode near9 16
 - L21: (1279) configur\$5 near9 port near9 power
 - L22: (0) 16 with 21
- Failed
 - ring near9 carrier near3
- Saved
- Favorites
- Tagged (11)
- UDC

Search

List

Browse

Queue

Clear

DBs

US-PGPUB: USPAT

Default operator:

OR

☐ Highlight all hit terms initially

4563738
4584930
4588026
4758843
4766437
4780288
4852798
4962987
4992122
5224213
5270621
5345495
5349679
5372189
5404351
5652870
5655994
5664123
5924124
5977791
6026078
6059566
6059566
6089979
6118783
6122680
6134612
6242946
6287832
6416563
6130842
6385667
5570056

BRS form

IS&R form

Image

Text

HTML

U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Cla

Hits Details HTML